

Safety Data Sheet

Revision Number: 003

Issue date: 15.06.2020

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

Product type: Restriction of Use: Company address:

Dissegna Sports Distribution Srl

Via Papa Giovanni Paolo II°, 52/53

36022 San Giuseppe Di Cassola

(VI)

ITALY VAT Number: IT03584300242 Phone: +39 0424 34545 e-mail: info@dsditaly.com www.gasprovanes.com

Precautionary Statements

CYANO GLUE REMOVER IDH number: Cyanoacrylate Debonder None identified


161-162 Item number: 161-162 Region: United States Contact information: Telephone: (805) 466-1717 MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: 1-800-223-7699 (toll free) www.bsi-inc.com

2. HAZARDS IDENTIFICATION

_			
		EMERGENCY OVERVIEW	
	WARNING:	COMBUSTIBLE LIQUID.	
		IRRITATING TO EYES AND SKIN	
		MAY CAUSE TEARING IN EYES	
		MAY CAUSE LIVER AND KIDNEY DAMAGE	

CATEGORY
3
2
4

PICTOGRAM(S)
\mathbf{V}



Storage:Store in a well-ventilated place. Keep container tightly closed.
Keep in a cool and dark area.Disposal:Dispose of contents and/or container according to Federal, State/Provincial
and local governmental regulations.

H-2, F-2, R-0

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*
N,N-Dimethylformamide	68-12-2	>95

* Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

	4. FIRST AID MEASURES	
Inhalation:	Move to fresh air. If not breathing, give artificial respiration. If respirator irritation, dizziness, nausea or unconsciousness occurs, seek medical attention.	
Skin contact:	Wash contact area with soap and water. Remove contaminated clothing. Launder contaminated clothing before use.	
Eye contact:	Immediately flush thoroughly with water. If irritation occurs, get medical attention.	
Ingestion:	Seek immediate medical attention. Do not induce vomiting. Drink water.	
Symptoms:	See Section 11.	
Notes to physician:	Treat symptomatically and supportively	
5. FIRE FIGHTING MEASURES		

Extinguishing media:		Water spray (fog), foam, dry chemical or carbon dioxide.
	Special firefighting procedures:	In enclosed spaces, wear a self-contained breathing apparatus. Will burn if involved in a fire.
	Unusual fire or explosion hazards:	Vapors are heavier than air
	Hazardous combustion products:	None known.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:	Ventilate area. Do not allow product to enter the environment.
Clean-up methods:	Absorb or cover with dry earth, sand or other non-combustible material. Use clean non-sparking tools to collect absorbed material. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up.

7. HANDLING AND STORAGE

Handling:	Prevent contact with eyes and avoid contact with skin Avoid breathing vapor and mist. Wash thoroughly with soap and water after handling. Material can accumulate static charges. Keep away from heat, sparks and flame.
Storage:	For safe storage, store between 0 °C (32°F) and 24°C (75°F). Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
N,N-Dimethylformamide	10 ppm TWA	10 ppm TWA	10 ppm TWA	None
Engineering controls:			ust ventilation if general ve oncentration below establ	
Respiratory protection:	Use NIOSH approved respirator if there is potential to exceed exposure limit(s). Organic vapor cartridges are recommended.			
Eye/face protection:		Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists.		
Skin protection:	Use ap	Use appropriate gloves and aprons as necessary to prevent contact.		

9. PHYSICAL AND CHEMICAL PROPERTIES

Liquid

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/ range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Auto-ignition temperature: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): VOC content: Viscosity: **Decomposition temperature:**

Colorless, Transparent Slight Amine N/Ď 6-8 20% aq.sol. 4.9 mbar @ 20° C 153 °C (307°F) -61°C (-78°F) 0.945 2.5 (Air = 1.0) 58°C (136°F) ASTM D-56 2.2 15.2 445 °C (662°F) 0.17 Soluble in water Not determined < 2 %; < 20 g/l (California SCAQMD Method 316B) (Estimated) 0.8 mPa.s at 20°C 350°C

10. STABILITY AND REACTIVITY

Stability:	Material is stable under recommended storage conditions.	
Hazardous reactions:	Hazardous polymerization will not occur.	
Hazardous decomposition products:	Carbon monoxide, Carbon dioxide, Nitrogen oxides.	
Incompatible materials:	Strong oxidizers, Halogens	
Reactivity:	None under normal processing.	
Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources	

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Ingestion, Eyes

Potential Health Effects/Symptoms

Inhalation:	May cause respiratory tract irritation. Exposure to vapors above the established exposure limit results in respiratory irritation, which may cause headaches, dizziness, anesthesia and drowsiness. Is not a respiratory sensitizer.
Skin contact:	May cause skin irritation. Prolonged skin contact may defat the skin resulting in possible irritation and dermatitis. Is not a skin sensitizer.
Eye contact:	May cause mild, short lasting discomfort to eyes.
Ingestion:	Minimally toxic.
Aspiration:	Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
N,N-Dimethylformamide	4.72g/kg / 3421 ppm/1H	Irritant, Live r and kidney effects

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
N,N-Dimethylformamide	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information:

Has very low aquatic toxicity. Is readily biodegradable.

Follow all local, state, federal and provincial regulations for disposal. May be

disposed by supervised incineration at very high temperatures.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Hazardous waste number:

Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)			
Proper shipping name:	N,N-Dimethylformamide		
Hazard class or division:	Combustible Liquid 3		
Identification number:	2265		

Packing group: III International Air Transportation (ICAO/IATA) Proper shipping name: N,N-Dimethylformamide Hazard class or division: 3 Identification number: UN 2265

Packing group:

Ш